



PubMed	Nucleotide	Protein	Genome	Structure	PopSet	Taxonomy	OMIM	Books	
Search	PubMed	▼	for					Go	Clear
Limits Preview/Index History Clipboard Details									
Display Abstract ▼ Sort ▼ Save Text Clip Add Order									

Entrez
PubMed

☐ 1: Clin Cancer Res 2001 Mar;7(3 Suppl):838s-847s

Related Articles, Links

FREE full text article at
clincancerres.aacrjournals.org

Recombinant human papillomavirus type 16 E7 protein as a model antigen to study the vaccine potential in control and E7 transgenic mice.

PubMed
Services

Gerard CM, Baudson N, Kraemer K, Ledent C, Pardoll D, Bruck C.

GlaxoSmithKline Biologicals, Research and Development, Rixensart, Belgium.
catherine.gerard@sbbio.be

Related
Resources

The early genes E6 and E7 of human papillomavirus type 16 (HPV16) are consistently and exclusively expressed in HPV16-induced cancer lesions and play major roles in the development and maintenance of the malignant phenotype. Because this protein is a good example of a tumor-associated antigen, we have used E7 as a model antigen to test the potential of an experimental vaccine as an immunotherapeutic approach. In this study, we used a murine E7-expressing tumor model (TC1 cells) to assess effects of an E7-based vaccine on tumor growth. We show that vaccination with the E7 protein, formulated in the SmithKline Beecham Biologicals proprietary adjuvants (SBAS 1 and SBAS 2), leads to the rejection of pre-established tumors. Tumor rejection was associated with the induction of a strong systemic T helper 1 response, including CTLs, and the presence of an inflammatory infiltrate within the regressing tumor. Because most identified tumor-associated antigens are self antigens rather viral antigens, we used E7 transgenic mice to evaluate the E7-based vaccine in conditions where E7 is a self antigen. Transgenic mice, which constitutively and specifically express the E7 HPV16 gene in the thyroid epithelium, rapidly develop thyroid goiters and, after several months, thyroid carcinomas. We show that E7-specific antibodies and CD4 T helper responses can be obtained by vaccinating E7 transgenic mice, although a CTL response was not detected. Despite the absence of measurable CTL responses, vaccination still reduced the growth of pre-established TC1 tumors, although less efficiently than in nontransgenic animals, but was unable to suppress or delay the development of the spontaneous thyroid pathology.

PMID: 11300481 [PubMed - indexed for MEDLINE]



PubMed	Nucleotide	Protein	Genome	Structure	PopSet	Taxonomy	OMIM	Books	
Search	PubMed	▼	for					Go	Clear
Limits Preview/Index History Clipboard Details									
Display	Abstract	▼	Sort	▼	Save	Text	Clip Add	Order	

Entrez
PubMed☐ 1: Vaccine 2001 Jul 20;19(30):4276-86

Related Articles, Links

ELSEVIER SCIENCE
FULL-TEXT ARTICLE**A DNA vaccine based on a shuffled E7 oncogene of the human papillomavirus type 16 (HPV 16) induces E7-specific cytotoxic T cells but lacks transforming activity.**PubMed
Services**Osen W, Peiler T, Ohlschlager P, Caldeira S, Faath S, Michel N, Muller M, Tommasino M, Jochmus I, Gissmann L.**

Deutsches Krebsforschungszentrum, Angewandte Tumorstudiologie Im Neuenheimer Feld 242, D-69120, Heidelberg, Germany.

Related
Resources

Vaccination with oncogene-derived DNA for anti-cancer treatment carries a risk of de-novo tumor induction triggered by the persisting recombinant DNA. We hypothesized that an oncoprotein whose primary sequence has been rearranged ('shuffled') to maintain all possible T cell epitopes still induces cytotoxic T cells against the authentic protein but is devoid of transforming properties. As a model antigen, we used the E7 oncoprotein of the human papillomavirus (HPV) type 16, the major cause of cervical cancer. We have generated an artificial E7 molecule in which four domains were rearranged and, in order to maintain all possible T cell epitopes, certain sequences were duplicated. Upon transfection of this shuffled E7 gene (E7SH) into RMA cells, presentation of an E7 Db-restricted T cell epitope was shown by an E7-specific CTL line in vitro. Immunization of C57BL/6 mice with E7SH DNA induced E7-specific CTL and also conveyed protection against E7-positive syngeneic tumor cells. No transforming activity of E7SH DNA in NIH3T3 cells was detected, as determined by focus formation, induction of S-phase under conditions of serum deprivation and degradation of endogenous pRB. Our results suggest that DNA shuffling may become a promising concept for DNA-based anti-cancer vaccines.

PMID: 11457555 [PubMed - indexed for MEDLINE]

Display	Abstract	▼	Sort	▼	Save	Text	Clip Add	Order
---------	----------	---	------	---	------	------	----------	-------

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services



PubMed	Nucleotide	Protein	Genome	Structure	PopSet	Taxonomy	OMIM	Books
Search	PubMed	▼	for		Go	Clear		
Limits		Preview/Index		History		Clipboard		Details

Display	Abstract	▼	Sort	▼	Save	Text	Clip Add	Order
---------	----------	---	------	---	------	------	----------	-------

Entrez
PubMed

☐ 1: Vaccine 2001 Mar 21;19(17-19):2583-9

[Related Articles, Links](#)

ELSEVIER SCIENCE
FULL-TEXT ARTICLE

Therapeutic potential of protein and adjuvant vaccinations on tumour growth.

Gerard CM, Baudson N, Kraemer K, Bruck C, Garcon N, Paterson Y, Pan ZK, Pardoll D.

SmithKline Beecham Biologicals, R&D, Preclinical Immunology, Rue de l'Institut 89, B-1330, Rixensart, Belgium. catherine.gerard@sbbio.be


Over 90% of cervical cancers are associated with HPV infection, the commonest being the HPV-16 subtype. Two early viral genes, E6 and 7, play major roles in the development and maintenance of the malignant phenotype. The vaccine potential of a recombinant HPV16 E7 protein was examined in two murine models of E7-expressing tumours. Formulations including the immunostimulants MPL and QS21 induced therapeutically active immune responses leading to regression of pre-established TC1 tumour lesions, associated with induction of IgG antibodies, lymphoproliferation and CTL. Our data provide a clear incentive to investigate the clinical application of this approach in cancer immunotherapy.

PMID: 11257396 [PubMed - indexed for MEDLINE]

Display	Abstract	▼	Sort	▼	Save	Text	Clip Add	Order
---------	----------	---	------	---	------	------	----------	-------

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)

11/6/02 9:22 AM



PubMed	Nucleotide	Protein	Genome	Structure	PopSet	Taxonomy	OMIM	Books
Search	PubMed	▼	for	Dalemans	Go	Clear		
Limits		Preview/Index		History		Clipboard		Details

Display	Summary	▼	Sort	▼	Save	Text	Clip Add	Order
Show:	20	▼	Items 21-37 of 37			Page 2 of 2		Select page: 1 2

Entrez
PubMed

- ☐ **21:** Rosenfeld MA, Yoshimura K, Trapnell BC, Yoneyama K, Rosenthal ER, Dalemans W, Fukayama M, Bargon J, Stier LE, Stratford-Perricaudet L, et al. Related Articles, Links

In vivo transfer of the human cystic fibrosis transmembrane conductance regulator gene to the airway epithelium.

Cell. 1992 Jan 10;68(1):143-55.

PMID: 1370653 [PubMed - indexed for MEDLINE]

PubMed
Services

- ☐ **22:** Perraud F, Dalemans W, Ali-Hadji D, Pavirani A. Related Articles, Links

Novel cell lines derived from transgenic mice expressing recombinant human proteins. Transgenic hepatoma-derived cell lines.

Cytotechnology. 1992;9(1-3):69-75.

PMID: 1369183 [PubMed - indexed for MEDLINE]

Related
Resources

- ☐ **23:** Dalemans W, Barbry P, Champigny G, Jallat S, Dott K, Dreyer D, Crystal RG, Pavirani A, Lecocq JP, Lazdunski M. Related Articles, Links

Altered chloride ion channel kinetics associated with the delta F508 cystic fibrosis mutation.

Nature. 1991 Dec 19-26;354(6354):526-8.

PMID: 1722027 [PubMed - indexed for MEDLINE]

- ☐ **24:** Yoshimura K, Nakamura H, Trapnell BC, Chu CS, Dalemans W, Pavirani A, Lecocq JP, Crystal RG. Related Articles, Links

Expression of the cystic fibrosis transmembrane conductance regulator gene in cells of non-epithelial origin.

Nucleic Acids Res. 1991 Oct 11;19(19):5417-23.

PMID: 1717947 [PubMed - indexed for MEDLINE]

- ☐ **25:** Perraud F, Dalemans W, Gendrault JL, Dreyer D, Ali-Hadji D, Faure T, Pavirani A. Related Articles, Links

Characterization of trans-immortalized hepatic cell lines established from transgenic mice.

Exp Cell Res. 1991 Jul;195(1):59-65.

PMID: 1711473 [PubMed - indexed for MEDLINE]

- ☐ **26:** Chu CS, Trapnell BC, Murtagh JJ Jr, Moss J, Dalemans W, Jallat S, Mercenier A, Pavirani A, Lecocq JP, Cutting GR, et al. Related Articles, Links

Variable deletion of exon 9 coding sequences in cystic fibrosis transmembrane conductance regulator gene mRNA transcripts in normal bronchial epithelium.

EMBO J. 1991 Jun;10(6):1355-63.

PMID: 1709095 [PubMed - indexed for MEDLINE]

- ☐ **27:** [Trapnell BC, Zeitlin PL, Chu CS, Yoshimura K, Nakamura H, Guggino WB, Bargon J, Banks TC, Dalemans W, Pavirani A, et al.](#) Related Articles, Links
Down-regulation of cystic fibrosis gene mRNA transcript levels and induction of the cystic fibrosis chloride secretory phenotype in epithelial cells by phorbol ester.
J Biol Chem. 1991 Jun 5;266(16):10319-23.
PMID: 2037584 [PubMed - indexed for MEDLINE]
- ☐ **28:** [Yoshimura K, Nakamura H, Trapnell BC, Dalemans W, Pavirani A, Lecocq JP, Crystal RG.](#) Related Articles, Links
The cystic fibrosis gene has a "housekeeping"-type promoter and is expressed at low levels in cells of epithelial origin.
J Biol Chem. 1991 May 15;266(14):9140-4.
PMID: 1709163 [PubMed - indexed for MEDLINE]
- ☐ **29:** [Massoud M, Bischoff R, Dalemans W, Pointu H, Attal J, Schultz H, Clesse D, Stinnakre MG, Pavirani A, Houdebine LM.](#) Related Articles, Links
Expression of active recombinant human alpha 1-antitrypsin in transgenic rabbits.
J Biotechnol. 1991 May;18(3):193-203.
PMID: 1367260 [PubMed - indexed for MEDLINE]
- ☐ **30:** [Jallat S, Perraud F, Dalemans W, Balland A, Dieterle A, Faure T, Meulien P, Pavirani A.](#) Related Articles, Links
Characterization of recombinant human factor IX expressed in transgenic mice and in derived trans-immortalized hepatic cell lines.
EMBO J. 1990 Oct;9(10):3295-301.
PMID: 2209546 [PubMed - indexed for MEDLINE]
- ☐ **31:** [Dalemans W, Perraud F, Le Meur M, Gerlinger P, Courtney M, Pavirani A.](#) Related Articles, Links
Heterologous protein expression by transimmortalized differentiated liver cell lines derived from transgenic mice (hepatomas/alpha 1 antitrypsin/ONC mouse).
Biologicals. 1990 Jul;18(3):191-8.
PMID: 2257132 [PubMed - indexed for MEDLINE]
- ☐ **32:** [Massoud M, Bischoff R, Dalemans W, Pointu H, Attal J, Schultz H, Clesse D, Stinnakre MG, Pavirani A, Houdebine LM.](#) Related Articles, Links
[Production of human proteins in the blood of transgenic animals]
C R Acad Sci III. 1990;311(8):275-80. French.
PMID: 2121317 [PubMed - indexed for MEDLINE]
- ☐ **33:** [De Leeuw IH, Van Gaal L, Rillaerts E, Dalemans C.](#) Related Articles, Links
[Effects of the relative enrichment of polyunsaturated fatty acids in insulin-dependent diabetic patients]
Diabete Metab. 1986 Oct;12(5):246-9. French.
PMID: 3803678 [PubMed - indexed for MEDLINE]
- ☐ **34:** [Vandewoude MG, Van Gaal L, Dalemans C, De Leeuw I.](#) Related Articles, Links
Vitamin E status in gold-thiogluco-se-treated obese mice: the influence of weight loss.
Int J Obes. 1985;9(5):355-61.
PMID: 3935588 [PubMed - indexed for MEDLINE]
- ☐ **35:** [Buytaert P, Dalemans P, Deluster R, Viaene P.](#) Related Articles, Links
Laparoscopic sterilization with electrocautery, silastic bands and spring-loaded clips:

report of our experience with 790 patients.
Eur J Obstet Gynecol Reprod Biol. 1980 Feb;10(2):109-18.
PMID: 6444902 [PubMed - indexed for MEDLINE]

☐ **36:** [Dalemans P, Buytaert P, Meulyzer P.](#) [Related Articles, Links](#)

The gonadotropin-resistant ovary syndrome in association with secondary amenorrhea.

Eur J Obstet Gynecol Reprod Biol. 1979 Oct;9(5):327-34.
PMID: 122535 [PubMed - indexed for MEDLINE]

☐ **37:** [Dalemans P, Janssens W, Verbeuren T, Vanhoutte PM.](#) [Related Articles, Links](#)


Effects of naturally occurring catecholamines on adrenergic neuro-effector interaction in isolated cutaneous veins.

Arch Int Pharmacodyn Ther. 1976 Apr;220(2):333-4. No abstract available.
PMID: 182095 [PubMed - indexed for MEDLINE]

Display	Summary	▼	Sort	▼	Save	Text	Clip Add	Order
Show:	20	▼	Items 21-37 of 37		Page 2 of 2		Select page: 1 2	

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)

02/06/2002 09:21 AM



PubMed	Nucleotide	Protein	Genome	Structure	PopSet	Taxonomy	OMIM	Books
Search	PubMed	▼	for	Dalemans	Go	Clear		
Limits		Preview/Index		History		Clipboard		Details

Display	Summary	▼	Sort	▼	Save	Text	Clip Add	Order
Show:	20	▼	Items 1-20 of 37			Page 1 of 2		Select page: 1 2

Entrez
PubMed

- ☐ **1:** Dalemans P, Buytaert P. Related Articles, Links
[Laparoscopic tubal sterilization using spring-loaded clips]
Tijdschr Geneesk. 1979 Dec 1;35(23):1507-11. Dutch. No abstract available.
PMID: 12310205 [PubMed - indexed for MEDLINE]

PubMed
Services

- ☐ **2:** Tanghe A, D'Souza S, Rosseels V, Denis O, Ottenhoff TH, Dalemans W, Wheeler C, Huygen K. Related Articles, Links
Improved immunogenicity and protective efficacy of a tuberculosis DNA vaccine encoding Ag85 by protein boosting.
Infect Immun. 2001 May;69(5):3041-7.
PMID: 11292722 [PubMed - indexed for MEDLINE]

Related
Resources

- ☐ **3:** Schirmacher V, Forg P, Dalemans W, Chlichlia K, Zeng Y, Fournier P, von Hoegen P. Related Articles, Links
Intra-pinna anti-tumor vaccination with self-replicating infectious RNA or with DNA encoding a model tumor antigen and a cytokine.
Gene Ther. 2000 Jul;7(13):1137-47.
PMID: 10918481 [PubMed - indexed for MEDLINE]

- ☐ **4:** Dillon DC, Alderson MR, Day CH, Lewinsohn DM, Coler R, Bement T, Campos-Neto A, Skeiky YA, Orme IM, Roberts A, Steen S, Dalemans W, Badaro R, Reed SG. Related Articles, Links
Molecular characterization and human T-cell responses to a member of a novel Mycobacterium tuberculosis mtb39 gene family.
Infect Immun. 1999 Jun;67(6):2941-50.
PMID: 10338503 [PubMed - indexed for MEDLINE]

- ☐ **5:** Forg P, von Hoegen P, Dalemans W, Schirmacher V. Related Articles, Links
Superiority of the ear pinna over muscle tissue as site for DNA vaccination.
Gene Ther. 1998 Jun;5(6):789-97.
PMID: 9747459 [PubMed - indexed for MEDLINE]

- ☐ **6:** Focant M, Mignolet E, Marique M, Clabots F, Breyne T, Dalemans D, Larondelle Y. Related Articles, Links
The effect of vitamin E supplementation of cow diets containing rapeseed and linseed on the prevention of milk fat oxidation.
J Dairy Sci. 1998 Apr;81(4):1095-101.
PMID: 9594398 [PubMed - indexed for MEDLINE]

- ☐ **7:** Dalemans W, Delers A, Delmelle C, Denamur F, Meykens R, Thiriart C, Veenstra S, Francotte M, Bruck C, Cohen J. Related Articles, Links
Protection against homologous influenza challenge by genetic immunization with

SFV-RNA encoding Flu-HA.

Ann N Y Acad Sci. 1995 Nov 27;772:255-6. No abstract available.

PMID: 8546401 [PubMed - indexed for MEDLINE]

- ☐ 8: [Champigny G](#), [Imler JL](#), [Puchelle E](#), [Dalemans W](#), [Gribkoff V](#), [Hinnrasky J](#), [Dott K](#), [Barbry P](#), [Pavirani A](#), [Lazdunski M](#). Related Articles, Links

A change in gating mode leading to increased intrinsic Cl⁻ channel activity compensates for defective processing in a cystic fibrosis mutant corresponding to a mild form of the disease.

EMBO J. 1995 Jun 1;14(11):2417-23.

PMID: 7540133 [PubMed - indexed for MEDLINE]

- ☐ 9: [Tonjes RR](#), [Lohler J](#), [O'Sullivan JF](#), [Kay GF](#), [Schmidt GH](#), [Dalemans W](#), [Pavirani A](#), [Paul D](#). Related Articles, Links

Autocrine mitogen IgEGF cooperates with c-myc or with the Hcs locus during hepatocarcinogenesis in transgenic mice.

Oncogene. 1995 Feb 16;10(4):765-8.

PMID: 7862454 [PubMed - indexed for MEDLINE]

- ☐ 10: [Gaillard D](#), [Ruocco S](#), [Lallemand A](#), [Dalemans W](#), [Hinnrasky J](#), [Puchelle E](#). Related Articles, Links

Immunohistochemical localization of cystic fibrosis transmembrane conductance regulator in human fetal airway and digestive mucosa.

Pediatr Res. 1994 Aug;36(2):137-43.

PMID: 7526324 [PubMed - indexed for MEDLINE]

- ☐ 11: [Dalemans W](#). Related Articles, Links

From in vitro to in vivo. Progress in the use of cultured cells for human therapy.

Cytotechnology. 1994;16(3):189-94. Review.

PMID: 7766147 [PubMed - indexed for MEDLINE]

- ☐ 12: [Shen BQ](#), [Barthelson RA](#), [Skach W](#), [Gruenert DC](#), [Sigal E](#), [Mrsny RJ](#), [Widdicombe JH](#). Related Articles, Links

Mechanism of inhibition of cAMP-dependent epithelial chloride secretion by phorbol esters.

J Biol Chem. 1993 Sep 5;268(25):19070-5.

PMID: 7689566 [PubMed - indexed for MEDLINE]

- ☐ 13: [Bijman J](#), [Dalemans W](#), [Kansen M](#), [Keulemans J](#), [Verbeek E](#), [Hoogeveen A](#), [De Jonge H](#), [Wilke M](#), [Dreyer D](#), [Lecocq JP](#), et al. Related Articles, Links

Low-conductance chloride channels in IEC-6 and CF nasal cells expressing CFTR.

Am J Physiol. 1993 Mar;264(3 Pt 1):L229-35.

PMID: 7681632 [PubMed - indexed for MEDLINE]

- ☐ 14: [Puchelle E](#), [Gaillard D](#), [Ploton D](#), [Hinnrasky J](#), [Fuchey C](#), [Boutterin MC](#), [Jacquot J](#), [Dreyer D](#), [Pavirani A](#), [Dalemans W](#). Related Articles, Links

Differential localization of the cystic fibrosis transmembrane conductance regulator in normal and cystic fibrosis airway epithelium.

Am J Respir Cell Mol Biol. 1992 Nov;7(5):485-91.

PMID: 1384582 [PubMed - indexed for MEDLINE]

- ☐ 15: [Chu CS](#), [Trappnell BC](#), [Curristin SM](#), [Cutting GR](#), [Crystal RG](#). Related Articles, Links

Extensive posttranscriptional deletion of the coding sequences for part of nucleotide-binding fold 1 in respiratory epithelial mRNA transcripts of the cystic

fibrosis transmembrane conductance regulator gene is not associated with the clinical manifestations of cystic fibrosis.

J Clin Invest. 1992 Sep;90(3):785-90.

PMID: 1381723 [PubMed - indexed for MEDLINE]

- ☐ 16: [Bargon J](#), [Trapnell BC](#), [Yoshimura K](#), [Dalemans W](#), [Pavirani A](#), [Lecocq JP](#), [Crystal RG](#). Related Articles, Links

Expression of the cystic fibrosis transmembrane conductance regulator gene can be regulated by protein kinase C.

J Biol Chem. 1992 Aug 15;267(23):16056-60.

PMID: 1379589 [PubMed - indexed for MEDLINE]

- ☐ 17: [Bischoff R](#), [Degryse E](#), [Perraud F](#), [Dalemans W](#), [Ali-Hadji D](#), [Thepot D](#), [Devinoy E](#), [Houdebine LM](#), [Pavirani A](#). Related Articles, Links

A 17.6 kbp region located upstream of the rabbit WAP gene directs high level expression of a functional human protein variant in transgenic mouse milk.

FEBS Lett. 1992 Jul 6;305(3):265-8.

PMID: 1299629 [PubMed - indexed for MEDLINE]

- ☐ 18: [Dalemans W](#), [Hinnrasky J](#), [Slos P](#), [Dreyer D](#), [Fuchey C](#), [Pavirani A](#), [Puchelle E](#). Related Articles, Links

Immunocytochemical analysis reveals differences between the subcellular localization of normal and delta Phe508 recombinant cystic fibrosis transmembrane conductance regulator.

Exp Cell Res. 1992 Jul;201(1):235-40.

PMID: 1377133 [PubMed - indexed for MEDLINE]

- ☐ 19: [Perraud F](#), [Yoshimura K](#), [Louis B](#), [Dalemans W](#), [Ali-Hadji D](#), [Schultz H](#), [Claudepierre MC](#), [Chartier C](#), [Danel C](#), [Bellocq JP](#), et al. Related Articles, Links

The promoter of the human cystic fibrosis transmembrane conductance regulator gene directing SV40 T antigen expression induces malignant proliferation of ependymal cells in transgenic mice.

Oncogene. 1992 May;7(5):993-7.

PMID: 1373882 [PubMed - indexed for MEDLINE]

- ☐ 20: [Bargon J](#), [Trapnell BC](#), [Chu CS](#), [Rosenthal ER](#), [Yoshimura K](#), [Guggino WB](#), [Dalemans W](#), [Pavirani A](#), [Lecocq JP](#), [Crystal RG](#). Related Articles, Links

Down-regulation of cystic fibrosis transmembrane conductance regulator gene expression by agents that modulate intracellular divalent cations.

Mol Cell Biol. 1992 Apr;12(4):1872-8.

PMID: 1372390 [PubMed - indexed for MEDLINE]

Display	Summary	▼	Sort	▼	Save	Text	Clip Add	Order
Show:	20	▼	Items 1-20 of 37			Page 1 of 2		Select page: 1 2

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer



Entrez	PubMed	Nucleotide	Protein	Genome	Structure	PMC	Journals	B
Search	PubMed	for T helper epitope and lipoprotein D				Preview	Go	
		<input checked="" type="checkbox"/> Limits	Preview/Index	History	Clipboard	Details		

- Search History will be lost after eight hours of inactivity.
- To combine searches use # before search number, e.g., #2 AND #6.
- Search numbers may not be continuous; all searches are represented.

Entrez
PubMed

Search	Most Recent Queries	Time	Result
#38	Search T helper epitope and lipoprotein D Limits: Publication Date to 1997/12/24	09:06:15	<u>0</u>
#35	Search T helper epitope and influenzae B Limits: Publication Date to 1997/12/24	09:05:33	<u>2</u>
#34	Search T helper epitope and influenza Limits: Publication Date to 1997/12/24	09:05:19	<u>85</u>
#33	Search protein D and T helper epitope Limits: Publication Date to 1997/12/24	09:04:42	<u>1</u>
#32	Search influenza protein D and T helper epitope Limits: Publication Date to 1997/12/24	09:04:36	<u>0</u>
#31	Search influenza lipoprotein D and T helper epitope Limits: Publication Date to 1997/12/24	09:04:20	<u>0</u>
#30	Search influenza T helper epitope Limits: Publication Date to 1997/12/24	09:03:36	<u>85</u>
#19	Search Tumor vaccine and HPV Field: All Fields, Limits: Publication Date to 1997/12/24	07:35:45	<u>10</u>
#27	Related Articles for PubMed (Select 9014288)	07:29:45	<u>202</u>
#18	Search Field: All Fields, Limits: Publication Date to 1997/12/24	07:23:33	<u>0</u>
#7	Related Articles for PubMed (Select 11257396)	07:13:46	<u>291</u>
#5	Search Gerard C and HPV	07:13:39	<u>1</u>
#4	Search Gerard C	07:09:00	<u>300</u>
#1	Search Dalemans W	07:07:27	<u>30</u>
#3	Search Dalemans W and E6	07:06:59	<u>0</u>
#2	Search Dalemans W and HPV	07:06:46	<u>0</u>

PubMed
Services

Related
Resources

Clear History

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer

```

=> "tumor or cancer vaccine"
    295493 "TUMOR"
    121746 "TUMORS"
    335490 "TUMOR"
        ("TUMOR" OR "TUMORS")
    0 "OR"
    948 "ORS"
    948 "OR"
        ("OR" OR "ORS")
    204831 "CANCER"
    29040 "CANCERS"
    212852 "CANCER"
        ("CANCER" OR "CANCERS")
    41254 "VACCINE"
    42029 "VACCINES"
    51899 "VACCINE"
        ("VACCINE" OR "VACCINES")
L1      0 "TUMOR OR CANCER VACCINE"
        ("TUMOR" (W) "OR" (W) "CANCER" (W) "VACCINE")

```

```

=> "tumor vaccine"
    295493 "TUMOR"
    121746 "TUMORS"
    335490 "TUMOR"
        ("TUMOR" OR "TUMORS")
    41254 "VACCINE"
    42029 "VACCINES"
    51899 "VACCINE"
        ("VACCINE" OR "VACCINES")
L2      1137 "TUMOR VACCINE"
        ("TUMOR" (W) "VACCINE")

```

```

=> HPV and L2
    4768 HPV
    593 HPVS
    4806 HPV
        (HPV OR HPVS)
L3      35 HPV AND L2

```

```

=> "early protein"
    348300 "EARLY"
    21 "EARLIES"
    348315 "EARLY"
        ("EARLY" OR "EARLIES")
    1582536 "PROTEIN"
    1088253 "PROTEINS"
    1832740 "PROTEIN"
        ("PROTEIN" OR "PROTEINS")
L4      1567 "EARLY PROTEIN"
        ("EARLY" (W) "PROTEIN")

```

```

=> L4 and L3
L5      1 L4 AND L3

```

```

=> "E6 or E7"
    5012 "E6"
    0 "OR"
    948 "ORS"
    948 "OR"
        ("OR" OR "ORS")
    4419 "E7"
L6      0 "E6 OR E7"
        ("E6" (W) "OR" (W) "E7")

```

```

=> "E6" and L2
      5012 "E6"
L7      26 "E6" AND L2

=> "E7" and L2
      4419 "E7"
L8      44 "E7" AND L2

=> L6 and L7
L9      0 L6 AND L7

=> "lipoprotein D"
      63848 "LIPOPROTEIN"
      70169 "LIPOPROTEINS"
      87045 "LIPOPROTEIN"
          ("LIPOPROTEIN" OR "LIPOPROTEINS")
      2057381 "D"
L10     329 "LIPOPROTEIN D"
          ("LIPOPROTEIN" (W) "D")

=> L10 and L6
L11     0 L10 AND L6

=> L10 and L8
L12     0 L10 AND L8

=> "T helper epitope"
      706053 "T"
      22992 "HELPER"
      215 "HELPERS"
      23111 "HELPER"
          ("HELPER" OR "HELPERS")
      32571 "EPITOPE"
      32336 "EPITOPES"
      48896 "EPITOPE"
          ("EPITOPE" OR "EPITOPES")
L13     196 "T HELPER EPITOPE"
          ("T" (W) "HELPER" (W) "EPITOPE")

=> L13 and L7
L14     1 L13 AND L7

=> L13 and L8
L15     1 L13 AND L8

=> influenza and L7
      18018 INFLUENZA
      6 INFLUENZAS
      18020 INFLUENZA
          (INFLUENZA OR INFLUENZAS)
L16     1 INFLUENZA AND L7

=> infleunza and L8
      0 INFLEUNZA
L17     0 INFLEUNZA AND L8

=> influenza and L8
      18018 INFLUENZA
      6 INFLUENZAS
      18020 INFLUENZA
          (INFLUENZA OR INFLUENZAS)
L18     2 INFLUENZA AND L8

=> CpG (w) motif

```

7565 CPG
240 CPGS
7614 CPG
(CPG OR CPGS)
37704 MOTIF
65704 MOTIFS
89009 MOTIF
(MOTIF OR MOTIFS)

L19 555 CPG (W) MOTIF

=> L19 and L7

L20 0 L19 AND L7

=> L19 and L8

L21 0 L19 AND L8

=> L2 and L19

L22 6 L2 AND L19

```

=> "human papilloma virus"
    1218827 "HUMAN"
    312416 "HUMANS"
    1378875 "HUMAN"
        ("HUMAN" OR "HUMANS")
    6050 "PAPILLOMA"
    2105 "PAPILLOMAS"
    44 "PAPILLOMATA"
    7177 "PAPILLOMA"
        ("PAPILLOMA" OR "PAPILLOMAS" OR "PAPILLOMATA")
    293164 "VIRUS"
    63144 "VIRUSES"
    303780 "VIRUS"
        ("VIRUS" OR "VIRUSES")
L1      1486 "HUMAN PAPILLOMA VIRUS"
        ("HUMAN" (W) "PAPILLOMA" (W) "VIRUS")

```

```

=> "E6 or E7"
    5012 "E6"
    0 "OR"
    948 "ORS"
    948 "OR"
        ("OR" OR "ORS")
    4419 "E7"
L2      0 "E6 OR E7"
        ("E6" (W) "OR" (W) "E7")

```

```

=> E6 and L1
'E6' NOT FOUND
The E# entered is not currently defined.

```

```

=> envelope (w) protein
    46104 ENVELOPE
    8488 ENVELOPES
    51077 ENVELOPE
        (ENVELOPE OR ENVELOPES)
    1582536 PROTEIN
    1088253 PROTEINS
    1832740 PROTEIN
        (PROTEIN OR PROTEINS)
L3      9721 ENVELOPE (W) PROTEIN

```

```

=> L1 and l3
L4      9 L1 AND L3

```

```

=> CpG and L4
    7565 CPG
    240 CPGS
    7614 CPG
        (CPG OR CPGS)
L5      0 CPG AND L4

```

```

=> influenza and L1
    18018 INFLUENZA
    6 INFLUENZAS
    18020 INFLUENZA
        (INFLUENZA OR INFLUENZAS)
L6      19 INFLUENZA AND L1

```

```

=> HPV (w) antigen
    4768 HPV
    593 HPVS

```

4806 HPV

(HPV OR HPVS)

246813 ANTIGEN

196038 ANTIGENS

306186 ANTIGEN

(ANTIGEN OR ANTIGENS)

L7 39 HPV (W) ANTIGEN

=> influenza and L7

18018 INFLUENZA

6 INFLUENZAS

18020 INFLUENZA

(INFLUENZA OR INFLUENZAS)

L8 2 INFLUENZA AND L7

```
=> "T cell helper epitope"
      706053 "T"
      1730680 "CELL"
      1544002 "CELLS"
      2323964 "CELL"
          ("CELL" OR "CELLS")
      22992 "HELPER"
          215 "HELPERS"
      23111 "HELPER"
          ("HELPER" OR "HELPERS")
      32571 "EPITOPE"
      32336 "EPITOPES"
      48896 "EPITOPE"
          ("EPITOPE" OR "EPITOPES")
L9      16 "T CELL HELPER EPITOPE"
          ("T" (W) "CELL" (W) "HELPER" (W) "EPITOPE")
```

```
=> L1 and L9
L10      0 L1 AND L9
```

```
=> influenza and L9
      18018 INFLUENZA
          6 INFLUENZAS
      18020 INFLUENZA
          (INFLUENZA OR INFLUENZAS)
L11      0 INFLUENZA AND L9
```

```
=>
=>
=> "T helper epitope"
      706053 "T"
      22992 "HELPER"
          215 "HELPERS"
      23111 "HELPER"
          ("HELPER" OR "HELPERS")
      32571 "EPITOPE"
      32336 "EPITOPES"
      48896 "EPITOPE"
          ("EPITOPE" OR "EPITOPES")
L12      196 "T HELPER EPITOPE"
          ("T" (W) "HELPER" (W) "EPITOPE")
```

```
=> L12 and L1
L13      2 L12 AND L1
```

```
=> DIS L13 1- IBIB IABS
YOU HAVE REQUESTED DATA FROM 2 ANSWERS - CONTINUE? Y/(N):Y
THE ESTIMATED COST FOR THIS REQUEST IS 5.08 U.S. DOLLARS
DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N:Y
```

```
L13 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER:      2003:173012 CAPLUS
DOCUMENT NUMBER:      138:203667
TITLE:      Long peptides of 22-40 amino acid residues that induce
and/or enhance antigen specific immune responses.
PATENT ASSIGNEE(S):      Leids Universitair Medisch Centrum, Neth.
SOURCE:      Eur. Pat. Appl., 50 pp.
CODEN: EPXXDW
DOCUMENT TYPE:      Patent
LANGUAGE:      English
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:
```


TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page URLs for STN Seminar Schedule - N. America
NEWS	2	Apr 08	"Ask CAS" for self-help around the clock
NEWS	3	Apr 09	BEILSTEIN: Reload and Implementation of a New Subject Area
NEWS	4	Apr 09	ZDB will be removed from STN
NEWS	5	Apr 19	US Patent Applications available in IFICDB, IFIPAT, and IFIUDB
NEWS	6	Apr 22	Records from IP.com available in CAPLUS, HCAPLUS, and ZCAPLUS
NEWS	7	Apr 22	BIOSIS Gene Names now available in TOXCENTER
NEWS	8	Apr 22	Federal Research in Progress (FEDRIP) now available
NEWS	9	Jun 03	New e-mail delivery for search results now available
NEWS	10	Jun 10	MEDLINE Reload
NEWS	11	Jun 10	PCTFULL has been reloaded
NEWS	12	Jul 02	FORGE no longer contains STANDARDS file segment
NEWS	13	Jul 22	USANA to be reloaded July 28, 2002; saved answer sets no longer valid
NEWS	14	Jul 29	Enhanced polymer searching in REGISTRY
NEWS	15	Jul 30	NETFIRST to be removed from STN
NEWS	16	Aug 08	CANCERLIT reload
NEWS	17	Aug 08	PHARMAMarketLetter(PHARMAML) - new on STN
NEWS	18	Aug 08	NTIS has been reloaded and enhanced
NEWS	19	Aug 19	Aquatic Toxicity Information Retrieval (AQUIRE) now available on STN
NEWS	20	Aug 19	IFIPAT, IFICDB, and IFIUDB have been reloaded
NEWS	21	Aug 19	The MEDLINE file segment of TOXCENTER has been reloaded
NEWS	22	Aug 26	Sequence searching in REGISTRY enhanced
NEWS	23	Sep 03	JAPIO has been reloaded and enhanced
NEWS	24	Sep 16	Experimental properties added to the REGISTRY file
NEWS	25	Sep 16	Indexing added to some pre-1967 records in CA/CAPLUS
NEWS	26	Sep 16	CA Section Thesaurus available in CAPLUS and CA
NEWS	27	Oct 01	CASREACT Enriched with Reactions from 1907 to 1985
NEWS	28	Oct 21	EVENTLINE has been reloaded
NEWS	29	Oct 24	BEILSTEIN adds new search fields
NEWS	30	Oct 24	Nutraceuticals International (NUTRACEUT) now available on STN
NEWS	31	Oct 25	MEDLINE SDI run of October 8, 2002
NEWS	EXPRESS		October 14 CURRENT WINDOWS VERSION IS V6.01, CURRENT MACINTOSH VERSION IS V6.0a(ENG) AND V6.0Ja(JP), AND CURRENT DISCOVER FILE IS DATED 01 OCTOBER 2002
NEWS	HOURS		STN Operating Hours Plus Help Desk Availability
NEWS	INTER		General Internet Information
NEWS	LOGIN		Welcome Banner and News Items
NEWS	PHONE		Direct Dial and Telecommunication Network Access to STN
NEWS	WWW		CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

updated search has not found 104 or 103 reference about
E1 and or E7 plus protein D^{influenzae} B.
Homer. ep ~~new~~ new ^{best} number of epitope need to support

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 09:57:03 ON 06 NOV 2002

=> file caplus biosis

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'CAPLUS' ENTERED AT 09:57:17 ON 06 NOV 2002

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'BIOSIS' ENTERED AT 09:57:17 ON 06 NOV 2002

COPYRIGHT (C) 2002 BIOLOGICAL ABSTRACTS INC.(R)

=> "HPV E6 and/or E7"

L1 222 "HPV E6 AND/OR E7"

=> "protein D (l) influenza B"

L2 0 "PROTEIN D (L) INFLUENZA B"

=> "influenza B"

L3 2512 "INFLUENZA B"

=> L1 and L3

L4 0 L1 AND L3

=> CpG and L1

L5 0 CPG AND L1

=> "immunostimulatory CpG oligonucleotide"

L6 26 "IMMUNOSTIMULATORY CPG OLIGONUCLEOTIDE"

=> L1 and L6

L7 0 L1 AND L6

=> "influenzae B"

L8 413 "INFLUENZAE B"

=> L1 and L8

L9 0 L1 AND L8

=> "helper epitope"

L10 392 "HELPER EPITOPE"

=> L8 and L10

L11 1 L8 AND L10

=> L1 and L11

L12 0 L1 AND L11

=> L1 and L10

L13 0 L1 AND L10

=> log off

ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF

LOGOFF? (Y)/N/HOLD:y

STN INTERNATIONAL LOGOFF AT 10:01:54 ON 06 NOV 2002

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1648BQL

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 Apr 08 "Ask CAS" for self-help around the clock
NEWS 3 Apr 09 BEILSTEIN: Reload and Implementation of a New Subject Area
NEWS 4 Apr 09 ZDB will be removed from STN
NEWS 5 Apr 19 US Patent Applications available in IFICDB, IFIPAT, and
IFIUDB
NEWS 6 Apr 22 Records from IP.com available in CAPLUS, HCAPLUS, and
ZCAPLUS
NEWS 7 Apr 22 BIOSIS Gene Names now available in TOXCENTER
NEWS 8 Apr 22 Federal Research in Progress (FEDRIP) now available
NEWS 9 Jun 03 New e-mail delivery for search results now available
NEWS 10 Jun 10 MEDLINE Reload
NEWS 11 Jun 10 PCTFULL has been reloaded
NEWS 12 Jul 02 FOREGE no longer contains STANDARDS file segment
NEWS 13 Jul 22 USAN to be reloaded July 28, 2002;
saved answer sets no longer valid
NEWS 14 Jul 29 Enhanced polymer searching in REGISTRY
NEWS 15 Jul 30 NETFIRST to be removed from STN
NEWS 16 Aug 08 CANCERLIT reload
NEWS 17 Aug 08 PHARMAMarketLetter(PHARMAML) - new on STN
NEWS 18 Aug 08 NTIS has been reloaded and enhanced
NEWS 19 Aug 19 Aquatic Toxicity Information Retrieval (AQUIRE)
now available on STN
NEWS 20 Aug 19 IFIPAT, IFICDB, and IFIUDB have been reloaded
NEWS 21 Aug 19 The MEDLINE file segment of TOXCENTER has been reloaded
NEWS 22 Aug 26 Sequence searching in REGISTRY enhanced
NEWS 23 Sep 03 JAPIO has been reloaded and enhanced
NEWS 24 Sep 16 Experimental properties added to the REGISTRY file
NEWS 25 Sep 16 Indexing added to some pre-1967 records in CA/CAPLUS
NEWS 26 Sep 16 CA Section Thesaurus available in CAPLUS and CA
NEWS 27 Oct 01 CASREACT Enriched with Reactions from 1907 to 1985
NEWS 28 Oct 21 EVENTLINE has been reloaded
NEWS 29 Oct 24 BEILSTEIN adds new search fields
NEWS 30 Oct 24 Nutraceuticals International (NUTRACEUT) now available on
STN
NEWS 31 Oct 25 MEDLINE SDI run of October 8, 2002

NEWS EXPRESS October 14 CURRENT WINDOWS VERSION IS V6.01,
CURRENT MACINTOSH VERSION IS V6.0a(ENG) AND V6.0Ja(JP),
AND CURRENT DISCOVER FILE IS DATED 01 OCTOBER 2002
NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 09:57:03 ON 06 NOV 2002

=> file caplus biosis

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'CAPLUS' ENTERED AT 09:57:17 ON 06 NOV 2002

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'BIOSIS' ENTERED AT 09:57:17 ON 06 NOV 2002

COPYRIGHT (C) 2002 BIOLOGICAL ABSTRACTS INC. (R)

=> "HPV E6 and/or E7"

L1 222 "HPV E6 AND/OR E7"

=> "protein D (l) influenza B"

L2 0 "PROTEIN D (L) INFLUENZA B"

=> "influenza B"

L3 2512 "INFLUENZA B"

=> L1 and L3

L4 0 L1 AND L3

=> CpG and L1

L5 0 CPG AND L1

=> "immunostimulatory CpG oligonucleotide"

L6 26 "IMMUNOSTIMULATORY CPG OLIGONUCLEOTIDE"

=> L1 and L6

L7 0 L1 AND L6

=> "influenzae B"

L8 413 "INFLUENZAE B"

=> L1 and L8

L9 0 L1 AND L8

=> "helper epitope"

L10 392 "HELPER EPITOPE"

=> L8 and L10

L11 1 L8 AND L10

=> L1 and L11

L12 0 L1 AND L11

=> L1 and L10

L13 0 L1 AND L10

=> log off

ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF

LOGOFF? (Y)/N/HOLD:y

STN INTERNATIONAL LOGOFF AT 10:01:54 ON 06 NOV 2002

•

FILE 'BIOSIS' ENTERED AT 09:57:17 ON 06 NOV 2002
COPYRIGHT (C) 2002 BIOLOGICAL ABSTRACTS INC. (R)

=> "HPV E6 and/or E7"

L1 222 "HPV E6 AND/OR E7"

=> "protein D (l) influenza B"

L2 0 "PROTEIN D (L) INFLUENZA B"

=> "influenza B"

L3 2512 "INFLUENZA B"

=> L1 and L3

L4 0 L1 AND L3

=> CpG and L1

L5 0 CPG AND L1

=> "immunostimulatory CpG oligonucleotide"

L6 26 "IMMUNOSTIMULATORY CPG OLIGONUCLEOTIDE"

=> L1 and L6

L7 0 L1 AND L6

=> "influenzae B"

L8 413 "INFLUENZAE B"

=> L1 and L8

L9 0 L1 AND L8

=> "helper epitope"

L10 392 "HELPER EPITOPE"

=> L8 and L10

L11 1 L8 AND L10

=> L1 and L11

L12 0 L1 AND L11

=> L1 and L10

L13 0 L1 AND L10

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1648BQL

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 Apr 08 "Ask CAS" for self-help around the clock
NEWS 3 Apr 09 BEILSTEIN: Reload and Implementation of a New Subject Area
NEWS 4 Apr 09 ZDB will be removed from STN
NEWS 5 Apr 19 US Patent Applications available in IFICDB, IFIPAT, and
IFIUDB
NEWS 6 Apr 22 Records from IP.com available in CAPLUS, HCAPLUS, and
ZCAPLUS
NEWS 7 Apr 22 BIOSIS Gene Names now available in TOXCENTER
NEWS 8 Apr 22 Federal Research in Progress (FEDRIP) now available
NEWS 9 Jun 03 New e-mail delivery for search results now available
NEWS 10 Jun 10 MEDLINE Reload
NEWS 11 Jun 10 PCTFULL has been reloaded
NEWS 12 Jul 02 FOREGE no longer contains STANDARDS file segment
NEWS 13 Jul 22 USAN to be reloaded July 28, 2002;
saved answer sets no longer valid
NEWS 14 Jul 29 Enhanced polymer searching in REGISTRY
NEWS 15 Jul 30 NETFIRST to be removed from STN
NEWS 16 Aug 08 CANCERLIT reload
NEWS 17 Aug 08 PHARMAMarketLetter(PHARMAML) - new on STN
NEWS 18 Aug 08 NTIS has been reloaded and enhanced
NEWS 19 Aug 19 Aquatic Toxicity Information Retrieval (AQUIRE)
now available on STN
NEWS 20 Aug 19 IFIPAT, IFICDB, and IFIUDB have been reloaded
NEWS 21 Aug 19 The MEDLINE file segment of TOXCENTER has been reloaded
NEWS 22 Aug 26 Sequence searching in REGISTRY enhanced
NEWS 23 Sep 03 JAPIO has been reloaded and enhanced
NEWS 24 Sep 16 Experimental properties added to the REGISTRY file
NEWS 25 Sep 16 Indexing added to some pre-1967 records in CA/CAPLUS
NEWS 26 Sep 16 CA Section Thesaurus available in CAPLUS and CA
NEWS 27 Oct 01 CASREACT Enriched with Reactions from 1907 to 1985
NEWS 28 Oct 21 EVENTLINE has been reloaded
NEWS 29 Oct 24 BEILSTEIN adds new search fields
NEWS 30 Oct 24 Nutraceuticals International (NUTRACEUT) now available on
STN
NEWS 31 Oct 25 MEDLINE SDI run of October 8, 2002

NEWS EXPRESS October 14 CURRENT WINDOWS VERSION IS V6.01,
CURRENT MACINTOSH VERSION IS V6.0a(ENG) AND V6.0Ja(JP),
AND CURRENT DISCOVER FILE IS DATED 01 OCTOBER 2002
NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 09:57:03 ON 06 NOV 2002

=> file caplus biosis

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'CAPLUS' ENTERED AT 09:57:17 ON 06 NOV 2002

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'BIOSIS' ENTERED AT 09:57:17 ON 06 NOV 2002

COPYRIGHT (C) 2002 BIOLOGICAL ABSTRACTS INC.(R)

=> "HPV E6 and/or E7"

L1 222 "HPV E6 AND/OR E7"

=> "protein D (l) influenza B"

L2 0 "PROTEIN D (L) INFLUENZA B"

=> "influenza B"

L3 2512 "INFLUENZA B"

=> L1 and L3

L4 0 L1 AND L3

=> CpG and L1

L5 0 CPG AND L1

=> "immunostimulatory CpG oligonucleotide"

L6 26 "IMMUNOSTIMULATORY CPG OLIGONUCLEOTIDE"

=> L1 and L6

L7 0 L1 AND L6

=> "influenzae B"

L8 413 "INFLUENZAE B"

=> L1 and L8

L9 0 L1 AND L8

=> "helper epitope"

L10 392 "HELPER EPITOPE"

=> L8 and L10

L11 1 L8 AND L10

=> L1 and L11
L12 0 L1 AND L11

=> L1 and L10
L13 0 L1 AND L10

=> log off
ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF
LOGOFF? (Y)/N/HOLD:y
STN INTERNATIONAL LOGOFF AT 10:01:54 ON 06 NOV 2002

09581976

FILE 'BIOSIS' ENTERED AT 09:57:17 ON 06 NOV 2002
COPYRIGHT (C) 2002 BIOLOGICAL ABSTRACTS INC.(R)

=> "HPV E6 and/or E7"

L1 222 "HPV E6 AND/OR E7"

=> "protein D (l) influenza B"

L2 0 "PROTEIN D (L) INFLUENZA B"

=> "influenza B"

L3 2512 "INFLUENZA B"

=> L1 and L3

L4 0 L1 AND L3

=> CpG and L1

L5 0 CPG AND L1

=> "immunostimulatory CpG oligonucleotide"

L6 26 "IMMUNOSTIMULATORY CPG OLIGONUCLEOTIDE"

=> L1 and L6

L7 0 L1 AND L6

=> "influenzae B"

L8 413 "INFLUENZAE B"

=> L1 and L8

L9 0 L1 AND L8

=> "helper epitope"

L10 392 "HELPER EPITOPE"

=> L8 and L10

L11 1 L8 AND L10

=> L1 and L11

L12 0 L1 AND L11

=> L1 and L10

L13 0 L1 AND L10

=> log off

ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF
LOGOFF? (Y)/N/HOLD:y

STN INTERNATIONAL LOGOFF AT 10:01:54 ON 06 NOV 2002

L19 210 LYTA

=> fusion partner

L20 1512 FUSION PARTNER

=> L19 and L20

L21 2 L19 AND L20

=> D L21 BIB TI SO AU ABS

L21 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2001 ACS

AN 1999:511245 CAPLUS

DN 131:140508

TI Tumor-associated antigen derivatives of MAGE proteins and their use in cancer vaccine therapy

IN Cabezon, Silva Teresa; Cohen, Joseph; Slaoui, Moncef Mohamed; Vinals Bassols, Carlota

PA Smithkline Beecham Biologicals S.A., Belg.; Cabezon Silva, Teresa

SO PCT Int. Appl., 74 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	----	-----	-----	-----
PI	WO 9940188	A2	19990812	WO 1999-EP660	19990202
	WO 9940188	A3	19991014		
	W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
	RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
	AU 9927220	A1	19990823	AU 1999-27220	19990202
	BR 9907691	A	20001114	BR 1999-7691	19990202
	EP 1053325	A2	20001122	EP 1999-907476	19990202
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI				
	NO 2000003958	A	20001004	NO 2000-3958	20000804
PRAI	GB 1998-2543		19980205		
	GB 1998-2650		19980206		
	WO 1999-EP660		19990202		
TI	Tumor-associated antigen derivatives of MAGE proteins and their use in cancer vaccine therapy				
SO	PCT Int. Appl., 74 pp.				
	CODEN: PIXXD2				
IN	Cabezon, Silva Teresa; Cohen, Joseph; Slaoui, Moncef Mohamed; Vinals Bassols, Carlota				
AB	The present invention relates to derivs. of MAGE proteins and their use in				
	cancer vaccine therapy. In particular, the protein derivs. are: (1) fusion proteins comprising an antigen encoded by the MAGE family of genes,				
	linked to an immunol. fusion partner which provides T				

helper epitopes; (2) chem. modified MAGE proteins wherein the antigen's disulfide bridges are reduced and the the resulting thiols blocked; and/or
 (3) genetically modified MAGE proteins provided with an affinity tag and/or genetically modified to prevent disulfphide bridge formation. The preferred MAGE proteins are MAGE A1 and MAGE A3. The fusion proteins of the invention comprise an immunol. fusion parter such as lipoprotein D from Haemophilus influenzae, the NS1 (hemagglutinin) non-structural protein from influenzae virus, and/or the Streptococcus pneumoniae protein

LYTA. In addn., novel methods are also described for purifying MAGE proteins and for formulating vaccines for treating a range of cancers. The fusion protein LPD-MAGE3-His was used, along with an adjuvant, in a vaccine for the treatment of melanoma, and a TH1 type immune response was raised against said compn. The novel MAGE protein purifn. process of the invention comprises reducing the disulfide bonds, blocking the resulting free thiol group with a blocking group, and subjecting the resulting deriv. to one or more chromatog. purifn. steps.

=> D L21 BIB TI SO AU ABS 2

L21 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2001 ACS

AN 1999:468468 CAPLUS

DN 131:86861

TI E6 and E7 fusion proteins for vaccination against human papilloma virus

IN Dalemans, Wilfried L. J.; Gerard, Catherine Marie Ghislaine

PA Smithkline Beecham Biologicals S. A., Belg.

SO PCT Int. Appl., 62 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9933868	A2	19990708	WO 1998-EP8563	19981218
	WO 9933868	A3	19990916		
	W:		AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM		
	RW:		GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG		
	AU 9924191	A1	19990719	AU 1999-24191	19981218
	EP 1040123	A2	20001004	EP 1998-966706	19981218
	R:		AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI		
	BR 9814487	A	20001010	BR 1998-14487	19981218
	NO 2000003303	A	20000804	NO 2000-3303	20000623
PRAI	GB 1997-27262		19971224		
	WO 1998-EP8563		19981218		
TI	E6 and E7 fusion proteins for vaccination against human papilloma virus				
SO	PCT Int. Appl., 62 pp.				
	CODEN: PIXXD2				
IN	Dalemans, Wilfried L. J.; Gerard, Catherine Marie Ghislaine				
AB	The authors disclose the prepn. and characterization of fusion proteins of				

E6 and/or E7 of human papilloma virus (type 16 or 18) linked to an immunol. **fusion partner** that provides Th1 cell-type help. In one example, using recombinant DNA technol., a fragment of protein D of Haemophilus influenzae B was fused to the N-terminal fragment

of E6 and expressed in E. coli. In a second example, the immunol.
fusion partner providing T-cell help is the **LytA**
amidase of Streptococcus pneumoniae. Vaccination with a fusion protein,
in combination with CpG oligonucleotide, induced the regression of HPV
E6-mediated tumors.

=> log off

L12 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2001 ACS

AN 1997:97727 CAPLUS

DN 126:156420

TI Prophylactic and therapeutic vector vaccination using expression constructs for individual epitopes of antigens

IN Weiner, David B.; Williams, William V.; Wang, Bin

PA Wistar Institute, USA; Trustees of the University of Pennsylvania

SO U.S., 50 pp. Cont.-in-part of U.S. Ser. No. 29,336, abandoned.

CODEN: USXXAM

DT Patent

LA English

FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 5593972	A	19970114	US 1993-125012	19930921
	ZA 9400493	A	19950103	ZA 1994-493	19940125
	WO 9416737	A1	19940804	WO 1994-US899	19940126
	W: AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, ES, FI, GB, HU, JP, KP, KR, KZ, LK, LU, LV, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SK, UA, US, US, US, US, US, UZ, VN				
	RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
	AU 9462320	A1	19940815	AU 1994-62320	19940126
	AU 675702	B2	19970213		
	EP 681483	A1	19951115	EP 1994-909492	19940126
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT, HU 73099				
SE	JP 08509694	A2	19960628	HU 1995-2229	19940126
	US 5830876	T2	19961015	JP 1994-517285	19940126
	US 5817637	A	19981103	US 1995-453349	19950530
	US 5981505	A	19981006	US 1997-783818	19970113
		A	19991109	US 1997-979385	19971126
PRAI	US 1993-8342		19930126		
	US 1993-29336		19930311		
	US 1993-93235		19930715		
	US 1993-124962		19930921		
	US 1993-125012		19930921		
	WO 1994-US899		19940126		
	US 1995-495684		19950828		
TI	Prophylactic and therapeutic vector vaccination using expression constructs for individual epitopes of antigens				
SO	U.S., 50 pp. Cont.-in-part of U.S. Ser. No. 29,336, abandoned.				
	CODEN: USXXAM				
IN	Weiner, David B.; Williams, William V.; Wang, Bin				
AB	Methods of prophylactic and therapeutic immunization against infection, hyperproliferative and autoimmune diseases are disclosed. An expression construct directing the synthesis of one or more epitopes, or analogs of epitopes, of an antigen is introduced into cells of an individual. The epitope is identical or substantially similar to an epitope of a pathogen antigen, a hyperproliferative cell assocd. protein or a protein assocd. with autoimmune disease resp. Methods of immunizing against HIV are described. Successful induction of immunity to HIV1 in mice by injection with an expression vector for the HIV-1 gene env.				

L10 ANSWER 28 OF 45 CAPLUS COPYRIGHT 2001 ACS
 AN 1986:532044 CAPLUS
 DN 105:132044
 TI Immunogenic complex and its use as an immune stimulant, **vaccines**
 and reagent
 IN Morein, Bror
 PA Swed.
 SO Eur. Pat. Appl., 65 pp.
 CODEN: EPXXDW
 DT Patent
 LA English
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	EP 180564	A2	19860507	EP 1985-850326	19851016
	EP 180564	A3	19880601		
	EP 180564	B1	19910717		
	R: AT, BE, CH, DE, FR, GB, IT, LI, LU, NL, SE				
	AT 65186	E	19910815	AT 1985-850326	19851016
	CA 1275042	A1	19901009	CA 1985-493583	19851022
	FI 8504158	A	19860502	FI 1985-4158	19851023
	FI 86801	B	19920715		
	FI 86801	C	19921026		
	ZA 8508157	A	19860625	ZA 1985-8157	19851023
	DK 8504985	A	19860502	DK 1985-4985	19851030
	DK 166653	B1	19930628		
	NO 8504355	A	19860502	NO 1985-4355	19851031
	NO 167076	B	19910624		
	NO 167076	C	19911002		
	JP 61129136	A2	19860617	JP 1985-245270	19851031
	JP 07116056	B4	19951213		
	ES 548412	A1	19861201	ES 1985-548412	19851031
	AU 8549383	A1	19860508	AU 1985-49383	19851106
	AU 589915	B2	19891026		
	ZA 8607792	A	19870527	ZA 1986-7792	19861014
	CA 1275246	A1	19901016	CA 1986-520464	19861015
	WO 8702250	A1	19870423	WO 1986-SE480	19861016
	W: AU, DK, FI, JP, NO, US				
	RW: AT, BE, CH, DE, FR, GB, IT, LU, NL, SE				
	AU 8664752	A1	19870505	AU 1986-64752	19861016
	AU 590904	B2	19891123		
	EP 242380	A1	19871028	EP 1986-906026	19861016
	EP 242380	B1	19910403		
	R: AT, BE, CH, DE, FR, GB, IT, LI, LU, NL, SE				
	JP 63501078	T2	19880421	JP 1986-505483	19861016
	JP 07051514	B4	19950605		
	ES 2002532	A6	19880816	ES 1986-2624	19861016
	AT 62135	E	19910415	AT 1986-906026	19861016
	US 5254339	A	19931019	US 1987-70920	19870601
	FI 8702647	A	19870615	FI 1987-2647	19870615
	FI 86597	B	19920615		
	FI 86597	C	19920925		
	NO 8702484	A	19870615	NO 1987-2484	19870615
	NO 168806	B	19911230		
	NO 168806	C	19920408		
	DK 8703029	A	19870814	DK 1987-3029	19870615
	DK 165360	B	19921116		
	DK 165360	C	19930405		
PRAI	SE 1984-5493		19841101		
	EP 1985-850326		19851016		

EP 1986-906026 19861016
WO 1986-SE480 19861016
WO 1987-SE480 19870601
TI Immunogenic complex and its use as an immune stimulant, **vaccines**
and reagent
SO Eur. Pat. Appl., 65 pp.
CODEN: EPXXDW
IN More

L10 ANSWER 23 OF 45 CAPLUS COPYRIGHT 2001 ACS
 AN 1994:296664 CAPLUS
 DN 120:296664
 TI Multiple immunogens in **vaccines**
 IN Becker, Robert S.; Biscardi, Karen; Ferguson, Laura; Erdile, Lorne
 PA Connaught Laboratories Inc., USA
 SO Eur. Pat. Appl., 16 pp.
 CODEN: EPXXDW

DT Patent
 LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	---	-----	-----	-----
PI	EP 588578	A1	19940323	EP 1993-307185	19930913
	EP 588578	B1	19991208		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT,				
SE	CA 2105629	AA	19940315	CA 1993-2105629	19930907
	AU 9346226	A1	19940324	AU 1993-46226	19930908
	AU 677592	B2	19970501		
	ZA 9306629	A	19940330	ZA 1993-6629	19930908
	IL 106968	A1	19991028	IL 1993-106968	19930910
	NO 9303261	A	19940315	NO 1993-3261	19930913
	AT 187338	E	19991215	AT 1993-307185	19930913
	ES 2141750	T3	20000401	ES 1993-307185	19930913
	FI 9304013	A	19940315	FI 1993-4013	19930914
	JP 06192125	A2	19940712	JP 1993-229041	19930914
	JP 2512689	B2	19960703		
	US 5662909	A	19970902	US 1995-385587	19950208
	US 5837264	A	19981117	US 1995-470278	19950606
	US 5853736	A	19981229	US 1997-801152	19970218
	US 6024963	A	20000215	US 1998-193682	19981117
PRAI	US 1992-943173	19920914			
	US 1995-385587	19950208			
	US 1995-470278	19950606			
TI	Multiple immunogens in vaccines				
SO	Eur. Pat. Appl., 16 pp. CODEN: EPXXDW				
IN	Becker, Robert S.; Biscardi, Karen; Ferguson, Laura; Erdile, Lorne				

L10 ANSWER 20 OF 45 CAPLUS COPYRIGHT 2001 ACS
 AN 1995:742918 CAPLUS
 DN 123:123177
 TI Antigen-carbohydrate conjugates and their use in immunotherapy
 IN McKenzie, Ian Farquhar Campbell; Apostolopoulos, Vasso; Pietersz, Geoff Allan
 PA Austin Research Institute, Australia
 SO Eur. Pat. Appl., 34 pp.
 CODEN: EPXXDW
 DT Patent
 LA English
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	EP 659768	A2	19950628	EP 1994-303817	19940526
	EP 659768	A3	19961218		
SE	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT,				
	JP 07206707	A2	19950808	JP 1994-137976	19940527
	CA 2135833	AA	19950625	CA 1994-2135833	19941115
	AU 9481728	A1	19950629	AU 1994-81728	19941223
	AU 685539	B2	19980122		
	WO 9518145	A1	19950706	WO 1994-AU789	19941223
	W: AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, JP, KE, KG, KP, KR, KZ, LK, LR, LT, LU, LV, MD, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SI, SK, TJ, TT, UA, US, UZ				
	RW: KE, MW, SD, SZ, AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
	AU 9513081	A1	19950717	AU 1995-13081	19941223
	US 5989552	A	19991123	US 1997-833807	19970409
PRAI	AU 1993-3223	19931224			
	US 1994-340711	19941116			
	WO 1994-AU789	19941223			
TI	Antigen-carbohydrate conjugates and their use in immunotherapy				
SO	Eur. Pat. Appl., 34 pp. CODEN: EPXXDW				
IN	McKenzie, Ian Farquhar Campbell; Apostolopoulos, Vasso; Pietersz, Geoff Alla				

L10 ANSWER 17 OF 45 CAPLUS COPYRIGHT 2001 ACS
 AN 1996:369881 CAPLUS
 DN 125:27699
 TI Nucleic acids encoding mutant matrix proteins useful for attenuation or
 enhancement of influenza A virus
 IN Kawaoka, Yoshihiro; Castrucci, Maria R.
 PA St. Jude Children's Research Hospital, USA
 SO PCT Int. Appl., 96 pp.
 CODEN: PIXXD2
 DT Patent
 LA English
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9610631	A1	19960411	WO 1995-US12357	19951002
	W: AU, CA, JP				
	RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
	AU 9537278	A1	19960426	AU 1995-37278	19951002
PRAI	US 1994-316419		19940930		
	US 1995-471100		19950606		
	WO 1995-US12357		19951002		
TI	Nucleic acids encoding mutant matrix proteins useful for attenuation or enhancement of influenza A virus				
SO	PCT Int. Appl., 96 pp.				
	CODEN: PIXXD2				
IN	Kawa				

L10 ANSWER 3 OF 45 CAPLUS COPYRIGHT 2001 ACS
 AN 2000:155184 CAPLUS
 DN 132:204050
 TI Recombinant swinepox virus for expression of foreign antigens in
vaccine preparations
 IN Cochran, Mark D.; Junker, David E.
 PA Syntro Corporation, USA
 SO U.S., 262 pp., Cont.-in-part of U.S. Ser. No. 375,922.
 CODEN: USXXAM
 DT Patent
 LA English
 FAN.CNT 6

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 6033904	A	20000307	US 1995-480640	19950607
	US 5382425	A	19950117	US 1992-820154	19920113
	US 5869312	A	19990209	US 1993-97554	19930722
	WO 9503070	A1	19950202	WO 1994-US8277	19940722
	W: AU, CA, HU, JP, KR, NZ, PL, RO, RU, US				
	RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
	CA 2210732	AA	19960725	CA 1996-2210732	19960119
	WO 9622363	A1	19960725	WO 1996-US1485	19960119
	W: AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LT, LU, LV, MD, MG, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TT				
	RW: KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
	AU 9648633	A1	19960807	AU 1996-48633	19960119
	EP 801678	A1	19971022	EP 1996-904560	19960119
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV				
PRAI	US 1992-820154		19920113		
	US 1993-97554		19930722		
	WO 1994-US8277		19940722		
	US 1995-375922		19950119		
	WO 1993-US324		19930113		
	US 1995-375992		19950119		
	US 1995-472679		19950607		
	US 1995-480640		19950607		
	US 1995-488237		19950607		
	WO 1996-US1485		19960119		

TI Recombinant swinepox virus for expression of foreign antigens in
vaccine preparations
 SO U.S., 262 pp., Cont.-in-part of U.S. Ser. No. 375,922.
 CODEN: USXXAM
 IN Cochran, Mark D.; Junker, David E.
 RE.CNT 84
 RE

- (1) Anon; EP 0284416 1988 CAPLUS
 - (2) Anon; WO 8903429 1989 CAPLUS
 - (5) Ben-Porat, T; Journal of Virology 1986, V154, P325 CAPLUS
 - (6) Bertholet, C; EMBO Journal 1986, V5, P1951 CAPLUS
 - (7) Bhat, R; Nucleic Acids Research 1989, V17, P1159 CAPLUS
- ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2001 ACS

AN 1997:97727 CAPLUS

DN 126:156420

TI Prophylactic and therapeutic vector vaccination using expression constructs for individual epitopes of antigens

IN Weiner, David B.; Williams, William V.; Wang, Bin

PA Wistar Institute, USA; Trustees of the University of Pennsylvania

SO U.S., 50 pp. Cont.-in-part of U.S. Ser. No. 29,336, abandoned.

CODEN: USXXAM

DT Patent

LA English

FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 5593972	A	19970114	US 1993-125012	19930921
	ZA 9400493	A	19950103	ZA 1994-493	19940125
	WO 9416737	A1	19940804	WO 1994-US899	19940126
	W: AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, ES, FI, GB, HU, JP, KP, KR, KZ, LK, LU, LV, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SK, UA, US, US, US, US, US, UZ, VN				
	RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
	AU 9462320	A1	19940815	AU 1994-62320	19940126
	AU 675702	B2	19970213		
	EP 681483	A1	19951115	EP 1994-909492	19940126
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT, SE				
SE	HU 73099	A2	19960628	HU 1995-2229	19940126
	JP 08509694	T2	19961015	JP 1994-517285	19940126
	US 5830876	A	19981103	US 1995-453349	19950530
	US 5817637	A	19981006	US 1997-783818	19970113
	US 5981505	A	19991109	US 1997-979385	19971126
PRAI	US 1993-8342		19930126		
	US 1993-29336		19930311		
	US 1993-93235		19930715		
	US 1993-124962		19930921		
	US 1993-125012		19930921		
	WO 1994-US899		19940126		
	US 1995-495684		19950828		
TI	Prophylactic and therapeutic vector vaccination using expression constructs for individual epitopes of antigens				
SO	U.S., 50 pp. Cont.-in-part of U.S. Ser. No. 29,336, abandoned.				
	CODEN: USXXAM				
IN	Weiner, David B.; Williams, William V.; Wang, Bin				
AB	Methods of prophylactic and therapeutic immunization against infection, hyperproliferative and autoimmune diseases are disclosed. An expression construct directing the synthesis of one or more epitopes, or analogs of epitopes, of an antigen is introduced into cells of an individual. The epitope is identical or substantially similar to an epitope of a pathogen antigen, a hyperproliferative cell assocd. protein or a protein assocd. with autoimmune disease resp. Methods of immunizing against HIV are described. Successful induction of immunity to HIV1 in mice by injection with an expression vector for the HIV-1 gene env.				

L3 ANSWER 8 OF 16 CAPLUS COPYRIGHT 2001 ACS

AN 1994:699108 CAPLUS

DN 121:299108

TI Antigenic polypeptides from hemagglutinins conferring multistrain immunity

to influenza viruses A and B

IN Shatzman, Allan; Kane, James; Scott, Miller; Dillon, Susan

PA SmithKline Beecham Corp., USA

SO PCT Int. Appl., 152 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	----	-----	-----	-----
PI	WO 9417826	A1	19940818	WO 1994-US1149	19940201
	W: JP, US				
	RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
PRAI	US 1993-13415		19930201		
	US 1993-108914		19930818		
	US 1993-149150		19931105		

TI Antigenic polypeptides from hemagglutinins conferring multistrain immunity

to influenza viruses A and B

SO PCT Int. Appl., 152 pp.

CODEN: PIXXD2

IN Shatzman, Allan; Kane, James; Scott, Miller; Dillon, Susan

AB Fusion proteins contg. sequences from the HA2 subunits of influenza virus hemagglutinins that are capable of inducing an immune response are described for use in vaccines. The preferred **fusion partner** in these proteins is another influenza virus protein, preferably **NS1**. The construction of a no. of fusion proteins and their manuf. by expression of the gene in Escherichia coli is described. Vaccines contg. three of these fusion proteins, with Al3+ and 3D-MPL as adjuvants were prepd. and used to inoculate mice at 0 and 21 days. At day 49, the mice were challenged with 3-5 LD50 of influenza virus. Mice inoculated with the mixed antigen showed 73-100% survival depending on the strain and mice inoculated with single antigens showed 0-80% survival with controls animals showing 0-7% survival.

L3 ANSWER 6 OF 16 CAPLUS COPYRIGHT 2001 ACS
 AN 1999:166640 CAPLUS
 DN 130:222110
 TI Fusion proteins of human papillomavirus E6 and E7 stimulate a type 1
 T-cell response
 IN Bruck, Claudine; Cabezon Silva, Teres; Delisse, Anne-Marie Eva Fernande;
 Gerard, Catherine Marie Ghislaine; Lombardo-Bencheikh, Angela
 PA Smithkline Beecham Biologicals S.A., Belg.
 SO PCT Int. Appl., 95 pp.
 CODEN: PIXXD2
 DT Patent
 LA English
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9910375	A2	19990304	WO 1998-EP5285	19980817
	WO 9910375	A3	19990610		
	W:	AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, SN, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
	RW:	GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
	AU 9892639	A1	19990316	AU 1998-92639	19980817
	EP 1007551	A2	20000614	EP 1998-945269	19980817
	R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI			
	BR 9812139	A	20000718	BR 1998-12139	19980817
	NO 2000000850	A	20000414	NO 2000-850	20000221
PRAI	GB 1997-17953		19970822		
	WO 1998-EP5285		19980817		
TI	Fusion proteins of human papillomavirus E6 and E7 stimulate a type 1 T-cell response				
SO	PCT Int. Appl., 95 pp. CODEN: PIXXD2				
IN	Bruck, Claudine; Cabezon Silva, Teres; Delisse, Anne-Marie Eva Fernande; Gerard, Catherine Marie Ghislaine; Lombardo-Bencheikh, Angela				
AB	The authors disclose the plasmid construction, expression, and purifn. from E. coli of human papillomavirus early proteins E6 and E7 linked to immunol. active fusion partners . These fusion proteins elicit a Th1 helper cell response in immunized mice. Using an E6/E7 HPV-transformed epithelial cell line, a vaccine formulation prot				

L3 ANSWER 3 OF 16 CAPLUS COPYRIGHT 2001 ACS
 AN 1999:511245 CAPLUS
 DN 131:140508
 TI Tumor-associated antigen derivatives of MAGE proteins and their use in cancer vaccine therapy
 IN Cabezon, Silva Teresa; Cohen, Joseph; Slaoui, Moncef Mohamed; Vinals Bassols, Carlota
 PA Smithkline Beecham Biologicals S.A., Belg.; Cabezon Silva, Teresa
 SO PCT Int. Appl., 74 pp.
 CODEN: PIXXD2
 DT Patent
 LA English
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9940188	A2	19990812	WO 1999-EP660	19990202
	WO 9940188	A3	19991014		
	W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
	RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
	AU 9927220	A1	19990823	AU 1999-27220	19990202
	BR 9907691	A	20001114	BR 1999-7691	19990202
	EP 1053325	A2	20001122	EP 1999-907476	19990202
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI				
	NO 2000003958	A	20001004	NO 2000-3958	20000804
PRAI	GB 1998-2543		19980205		
	GB 1998-2650		19980206		
	WO 1999-EP660		19990202		

TI Tumor-associated antigen derivatives of MAGE proteins and their use in cancer vaccine therapy
 SO PCT Int. Appl., 74 pp.
 CODEN: PIXXD2
 IN Cabezon, Silva Teresa; Cohen, Joseph; Slaoui, Moncef Mohamed; Vinals Bassols, Carlota
 AB The present invention relates to derivs. of MAGE proteins and their use in cancer vaccine therapy. In particular, the protein derivs. are: (1) fusion proteins comprising an antigen encoded by the MAGE family of genes, linked to an immunol. **fusion partner** which provides T helper epitopes; (2) chem. modified MAGE proteins wherein the antigen's disulfide bridges are reduced and the the resulting thiols blocked; and/or (3) genetically modified MAGE proteins provided with an affinity tag and/or genetically modified to prevent disulfphide bridge formation. The preferred MAGE proteins are MAGE A1 and MAGE A3. The fusion proteins of the invention comprise an immunol. fusion parter such as **lipoprotein D** from Haemophilus influenzae, the **NS1** (hemagglutinin) non-structural protein from influenzae virus, and/or the Streptococcus pneumoniae protein **LYTA**. In addn., novel methods are also described for purifying MAGE proteins and for formulating vaccines for treating a range of cancers. The fusion protein LPD-MAGE3-His was used, along with an adjuvant, in a vaccine for the

treatment of melanoma, and a TH1 type immune response was raised against said compn. The novel MAGE protein purifn. process of the invention comprises reducing the disulfide bonds, blocking the resulting free thiol group with a blocking group, and subjecting the resulting deriv. to one

or

more